

The Planar® PXN2710Q is a 27" Quad HD IPS LED LCD monitor that features an ultra-thin bezel design, ergonomic design, wide viewing angles, numerous digital inputs and integrated TrueMediaTM speakers. The Planar PXN2710Q suits nicely into education, home, office or healthcare applications.

Planar PXN2710Q

27" LCD Monitor



| SPECIFICATION | DETAIL |
|----------------------|--|
| Product Name | PXN2710Q |
| Planar Part Number | 998-2123-00 |
| Viewable Size | 27" diagonal (23.53" x 13.21") |
| Aspect Ratio | 16:9 |
| Contrast Ratio (typ) | 1000:1 |
| Viewing Angle (typ) | 178° Horizontal and Vertical |
| Response Time (typ) | 6 ms (GTG) |
| Brightness (Typical) | 300 cd/m ² |
| Display Type | IPS LCD Active Matrix Flat Panel Display (TFT) |
| Display Resolution | 2560 x 1440 WQHD |
| Tilt Range | -5° to +20° |
| Palette | 16.7 million colors |
| Pixel Pitch | 0.2331 mm |
| Refresh Rate | 48 to 75Hz (60 Hz recommended) |
| Dimensions (W x H x | 24.2" x 20.5" x 9.1" (612.84 mm x 519.39 mm x 229.63 mm) |

| D) | |
|-----------------------------|---|
| Dimensions without Stand | 24.2" x 14.5" x 2.1" (612.84 mm x 367.46 mm x 52.3 mm) |
| Panel Depth | 2.1" (52.3 mm) |
| Display Weight | 13.1 lb/5.93 kg (9.4 lb/ 4.25 kg without stand) |
| Shipping weight | 16.32lb (7.4 kg) |
| Video Inputs | HDMI® x 2, DisplayPort |
| HDCP | Yes |
| Audio Output | Integrated 2W/channel stereo speakers, headphone jack |
| External Connections | DisplayPort 20-pin, HDMI 19-pin, 3.5mm headphone out |
| Compatibility | PC and $Mac \otimes$ (adapter may be required for Mac) |
| Power Supply | Internal |
| Power Consumption (max) | 35W Typical (<0.5W standby) |
| Power Requirements | AC 100/240 VAC |
| Operating Temperature | 0° to +40°C (32° to 104°F) |
| Humidity | 10 - 85% RH (non-condensing) |
| Mount | Built-in 100 mm VESA, back |
| Product Approvals | cTUVus, CE , FCC-B, RoHS |
| Recommended Usage | Up to 16 hours per day |
| Service and Support | 3-Year Customer First [™] Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US. |
| Options / Features | IPS panel, Wide color consistent viewing angle, Discreet branding, Height adjustment: 4.3" (120cmm), Swivel range 60° (30° left, 30° right), Pivot 90°, Anti-glare coating ,Multi-language display, On screen display (OSD), Kensington® Security Slot |
| Blue Light Reduction | Yes |
| Flicker Free | Yes |
| In the Box | PXN2710Q 27" LED LCD Monitor, Power Cord, HDMI Cable, DisplayPort Cable, User's Guide |

| UPC | 8 10689 00802 6 |
|-------|--|
| HDMI® | Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. |

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 5/19/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved